



OIL 140

MOTORIZATION

**Nr 3 Collector
motor**

MATERIAL TO VACUUM

Oil and shavings

COLLECTION CAPACITY

**Liquids 140 L /
Solids 35 L**

LIQUID EMPTYING

**Pump 220 Lt/min +
Drain hose**

The OIL 140 is an industrial vacuum cleaner designed for the separation of oil and shavings in mechanical and industrial sectors. Equipped with a 140-liter tank and a stainless steel grid basket, it ensures efficient solid-liquid separation with an additional 300 µm nylon filter. Liquid discharge is quick and continuous thanks to the integrated electric pump with a capacity of 220 liters per minute, while the electric floater automatically halts suction when the maximum level is reached. Compact and versatile, it is ideal for intensive industrial use.


Features



ELECTRIC FLOATER OIL 80 2M
Electric Floater Magnetic Connection




GRID BASKET
Stainless Steel Separator Basket




CLOSURE SEALS
Polyurethane closure seals



DRAIN HOSE
Liquids Drain Hose




FILTER
Safety filter cartridge



ADJUSTABLE FLUID LEVEL
Level adjustable




DOUBLE FLOATING OIL 140 3MP
Automatic System Liquids Management



TANK
Tank with Quick Release



COMPARTMENT
Accessories compartment



OLEOPHOBIC SPONGE
Oleophobic Sponge

Technical specifications

Technical data	OIL 140 3M P	OIL 140 T4 P
MATERIAL TO VACUUM	Oil and shavings	Oil and shavings
MOTORIZATION	Nr 3 Collector motor	Turbine
MARKING	Oil filtration grade - Nylon 300 μ	Oil filtration grade - Nylon 300 μ
POWER	3300 W	4 kW
VOLTAGE	230 V	400 V
FREQUENCY	50 / 60 Hz	50 / 60 Hz
AMPERAGE	14,4 A	8,9 A
AIR CONSUMPTION	-	-
AIRFLOW	510 m3/h	320 m3/h 50 Hz
DEPRESSION	230 mBar	320 mBar – 50 Hz
MAX DEPRESSION	-	320 mBar
SUCTION INLET	Type B 60 mm	Type B 60 mm
DIMENSIONS	68 x 80 h152 cm	68 x 80 h160 cm
WEIGHT	80 Kg	100 Kg
COLLECTION SYSTEM	Barrel	Barrel
COLLECTION CAPACITY	Liquids 140 L / Solids 35 L	Liquids 140 L / Solids 35 L
LONGOPAC	-	-
ELECTRIC FLOATER	Automatic shutdown	Automatic shutdown
FILTER CHAMBER DIAMETER	Ø 460 mm	Ø 460 mm
FILTER TYPE	Cartridge	Cartridge
FILTERING MEDIA AND PROPERTIES	Oleophobic Sponge - Class M Hydro-Oleophobic Cartridge	Oleophobic Sponge - Class M Hydro-Oleophobic Cartridge
FILTER SURFACE	-	-
FILTER CLEANING	-	-
LIQUID EMPTYING	Pump 220 Lt/min + Drain hose	Pump 220 Lt/min + Drain hose
FILTER HEPA	-	-
HEPA FILTERING SURFACE	-	-