



OIL 80

MOTORIZATION

**Nr 2 Collector
motor**

MATERIAL TO VACUUM

Oil and shavings

COLLECTION CAPACITY

**Liquids 80 L /
Solids 20 L**

LIQUID EMPTYING

**Electric PUMP 220
Lt/min**

The OIL 80 is a compact industrial vacuum cleaner designed for the separation of oil and shavings in workshops and industrial environments. Equipped with an 80-liter tank and a stainless steel grid basket, it ensures efficient solid-liquid separation. Liquid emptying is fast thanks to the integrated electric pump, delivering 220 liters per minute, allowing continuous discharge without removing the container. The automatic stop system halts suction when the maximum level is reached, while the 300µm nylon filter ensures additional filtration. Practical and versatile, it is ideal for environments requiring efficiency and reliability.


Features



ELECTRIC FLOATER OIL 80 2M
Electric Floater Magnetic Connection




GRID BASKET
Stainless Steel Separator Basket




CLOSURE SEALS
Polyurethane closure seals



DRAIN HOSE
Liquids Drain Hose




FILTER
Safety filter cartridge



ADJUSTABLE FLUID LEVEL
Level adjustable



DOUBLE FLOATING OIL 140 3MP
Automatic System Liquids Management



TANK
Tank with Quick Release



COMPARTMENT
Accessories compartment



OLEOPHOBIC SPONGE
Oleophobic Sponge

Technical specifications

Technical data	OIL 80 2M P	OIL 80 2M
MATERIAL TO VACUUM	Oil and shavings	Oil and shavings
MOTORIZATION	Nr 2 Collector motor	Nr 2 Collector motor
MARKING	Oil filtration grade - Nylon 300 μ	Oil filtration grade - Nylon 300 μ
POWER	2200 W	2200 W
VOLTAGE	230 V	230 V
FREQUENCY	50 / 60 Hz	50 / 60 Hz
AMPERAGE	12 A	12 A
AIR CONSUMPTION	-	-
AIRFLOW	340 m ³ /h	340 m ³ /h
DEPRESSION	230 mBar	230 mBar
MAX DEPRESSION	-	-
SUCTION INLET	Type B 60 mm	Type B 60 mm
DIMENSIONS	55 x 70 h135 cm	55 x 70 h135 cm
WEIGHT	62 Kg	62 Kg
COLLECTION SYSTEM	Barrel	Barrel
COLLECTION CAPACITY	Liquids 80 L / Solids 20 L	Liquids 80 L / Solids 20 L
LONGOPAC	-	-
ELECTRIC FLOATER	Automatic shutdown	Automatic shutdown
FILTER CHAMBER DIAMETER	Ø 370 mm	Ø 370 mm
FILTER TYPE	Cartridge	Cartridge
FILTERING MEDIA AND PROPERTIES	Oleophobic Sponge - Class M Hydro-Oleophobic Cartridge	Oleophobic Sponge - Class M Hydro-Oleophobic Cartridge
FILTER SURFACE	-	-
FILTER CLEANING	-	-
LIQUID EMPTYING	Electric PUMP 220 Lt/min	-
FILTER HEPA	-	-
HEPA FILTERING SURFACE	-	-